

Prepared by: Robert Armstrong, PhD1 and Stephen Prior, PhD2 with Natalie Tedder, BS3, Mary Beth Hill-Harmon, MSPH4, and Nicki Borkowski, MS5



Four Simple Things You Can Do To Protect Yourself And Your Family

COVER YOUR COUGH AND SNEEZE

- Cover your mouth and nose with a tissue
- Put your tissue in the trash can
- If you do not have a tissue, cough or sneeze into your upper sleeve, not your hands





WASH YOUR HANDS


- Wash hands with warm, soapy water for at least 10-15 seconds OR use a hand sanitizer after:
 - Coughing or sneezing
- Using the bathroom
- Caring for a sick person
 Handling garbage or animal waste





KEEP LIVING AND WORK AREAS CLEAN

- Clean areas with household detergents (dishwashing liquid, laundry detergent, hand soap).
- Sanitize surfaces with bleach or alcohol



KEEP YOUR DISTANCE

- Avoid crowds
- Limit your travel
- Travel to and from work during off-peak hours, if possible
- Work from home, if possible







Keep

bleach and

rubbing

alcohol

away from

children.

Do not

drink

bleach or

rubbing

alcohol.

There are many common sense, non-medical steps you can take to protect yourself, your coworkers and your loved ones. Following these procedures can significantly limit the spread of the virus—both H5N1 and the virus causing seasonal flu.

Cleaning and Sterilizing:

H5N1 is killed by alcohol and bleach. Cleaning furniture, work areas, food prep areas, etc. with household detergents (e.g. dishwashing liquid, laundry detergent, hand soap) followed by a sterilizing solution (alcohol or bleach) is recommended. The table gives you directions on how to prepare and use a sterilizing solution.

Sterilizing Agents	Recommended Use	Precautions
Household (Laundry) Bleach: Dilute 3/4 cup of bleach into one gallon of water.	Disinfection of material contaminated with blood and body fluids.	Use in a well ventilated area. Wear gloves while using/ handling bleach. Only mix bleach with water.
Rubbing Alcohol: (e.g. 70% isopropyl alcohol or 60% ethyl alcohol) Do not dilute; use straight from bottle. Items with lower alcohol concentrations, such as whiskey, vodka and rum, will not be effective.	Smooth metal surfaces, tabletops and other surfaces on which bleach cannot be used.	Flammable and toxic. Use in a well ventilated area. Do not inhale. Keep away from heat sources electrical equipment, flames and hot surfaces. Allow to dry completely.



The facts, recommendations and advice expressed or implied on this poster are those of the contributors and do not necessarily reflect the views of the Department of Defense, the National Defense University or any other agency of the Federal Government. If you are in any doubt about what actions to take you should obtain professional healthcare advice.

Senior Fellow, Center for Technology and National Security Policy, National Defense University, Ft. McNair, Washington, DC

Director, National Security Health Policy Center, The Potomac Institute for Policy Studies, Arlington, VA Research Assistant, National Security Health Policy Center, The Potomac Institute for Policy Studies, Arlington, VA

Research Associate, Center for Technology and National Security Policy, National Defense University, Ft. McNair, Washington, DC Analyst, Joint Warfighting Division, ANSER, Arlington, VA